

**DEPARTMENT OF TRANSPORTATION**

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30<sup>th</sup> Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

www.dot.ca.gov/hq/esc/oe

*Flex your power!  
Be energy efficient!*

August 30, 2013

02-Sha-Var-Var  
02-4E5304  
Project ID 0200020318  
ACSTP-X089(107)E

Addendum No. 3

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY AT VARIOUS LOCATIONS.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Tuesday, September 10, 2013.

This addendum is being issued to revise the project plans, the *Notice to Bidders and Special Provisions*, the *Bid* book, and the Federal Minimum Wages with Modification Number 15 dated 08/30/2013.

Project plan sheets 36 and 68 are replaced and attached for substitution for the like-numbered sheets.

In the Special Provisions, Section 12-3.13C, "Construction," the second paragraph is replaced as follows:

"After placing components of a stationary traffic control system you may place the impact attenuator vehicle in advance of the work area or at another authorized location to protect traffic and workers."

In the Special Provisions, Section 12-4.05D, "Chart no. 6 Complete Connector Closure Hours," is replaced as attached.

In the Special Provisions, DIVISION II "GENERAL CONSTRUCTION," Section 15, "EXISTING FACILITIES," the following paragraph is added.

**"Replace the 8th paragraph of section 15-5.06C(1) with:**

Finishing equipment for polyester concrete must:

1. Have grade control capabilities resulting in a roadway surface that meets the smoothness requirements of Section 51-1.01D(4)(b) and is capable of adjusting for a variable thickness overlay along and across the existing deck surface. The use of fixed height skid-supported strike off equipment is not allowed.
2. Be used to consolidate the polyester concrete.
3. Have a 12 foot minimum paving width."

In the Special Provisions, DIVISION VI "STRUCTURES," Section 59, "PAINTING," the following paragraph is added.

**"Delete section 59-2.03C(4)(b) of the RSS for section 59-2.03C"**

Addendum No. 3  
Page 2  
August 30, 2013

02-Sha-Var-Var  
02-4E5304  
Project ID 0200020318  
ACSTP-X089(107)E

In the *Bid* book, in the "Bid Item List," Item 85 is replaced.

To *Bid* book holders:

In the *Bid* book, page 7 of the "Bid Item List" is replaced as attached. The attached Bid Item List is to be used in the bid.

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the *Bid* book.

Submit bids in the *Bid* book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This addendum, attachments and the modified wage rates are available for the Contractors' download on the Web site:

**[http://www.dot.ca.gov/hq/esc/oe/project\\_ads\\_addenda/02/02-4E5304](http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/02/02-4E5304)**

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



REBECCA D. HARNAGEL  
Chief, Office of Plans, Specifications & Estimates  
Office Engineer  
Division of Engineering Services

Attachments

Replace "Reserved" in section 12-4.05D with:

**Chart no. 6  
Complete Connector Closure Hours**

County: Shasta	Route/Direction: 5, 273	PM: SHA-5-R15.31 SHA-5-R22.14 SHA-273-20.00																								
Closure limits: N5-E44 Connector OC (Loc 10) SR 151/5 Connector (Loc 11) N273-N5 Connector OC (Loc 18)																										
From hour to hour	24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
Mondays through Thursdays	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Fridays	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Saturdays	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Sundays	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Legend:																										
<input type="checkbox"/> C Connector may be closed completely and traffic detoured as shown on the plans.																										
<input type="checkbox"/> Work allowed within the highway where lane closure is not required																										
REMARKS:																										
<ul style="list-style-type: none"> <li>● N5-E44 (Loc 10) must not be closed longer than 7 consecutive calendar days.</li> <li>● SR 151-N5 SEP (Loc 11) includes complete simultaneous closure of the overcrossing structure, the NB 5 to WB 151 Connector Ramp, and the EB 151 to NB 5 Connector Ramp. Any portion of this closure must not be closed longer than 10 consecutive days. This location has an incentive/disincentive.</li> <li>● N273- N5 Connector OC (Loc 18) must not be closed longer than 7 consecutive calendar days.</li> <li>● All detour signing must be in-place prior to connector closure.</li> <li>● Locations 10 and 11 have Special Days restrictions.</li> </ul>																										

**BID ITEM LIST**

**02-4E5304**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
81	519100	JOINT SEAL (MR 2")	LF	58		
82	519133	JOINT SEAL (ASPHALTIC PLUG)	LF	212		
83 (F)	520110	BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE)	LB	2,835		
84	044329	GALVANIC ANODE	EA	707		
85 (F)	540100	DECK SEAL	SQFT	58,445		
86	590106	CLEAN STRUCTURAL STEEL (EXISTING BRIDGE)	LS	LUMP SUM	LUMP SUM	
87	590111	PAINT STRUCTURAL STEEL (EXISTING BRIDGE)	LS	LUMP SUM	LUMP SUM	
88	590135	SPOT BLAST CLEAN AND PAINT UNDERCOAT	SQFT	10,525		
89	590301	WORK AREA MONITORING	LS	LUMP SUM	LUMP SUM	
90	731504	MINOR CONCRETE (CURB AND GUTTER)	CY	19		
91	731521	MINOR CONCRETE (SIDEWALK)	CY	7		
92 (F)	750501	MISCELLANEOUS METAL (BRIDGE)	LB	260		
93	750505	BRIDGE DECK DRAINAGE SYSTEM	LS	LUMP SUM	LUMP SUM	
94	800103	TEMPORARY FENCE (TYPE CL-6)	LF	540		
95	820107	DELINEATOR (CLASS 1)	EA	20		
96	820134	OBJECT MARKER (TYPE P)	EA	3		
97	820141	OBJECT MARKER (TYPE K-1)	EA	2		
98	832002	METAL BEAM GUARD RAILING (STEEL POST)	LF	14		
99	832070	VEGETATION CONTROL (MINOR CONCRETE)	SQYD	350		
100	025785	CONCRETE BARRIER (TRANSITION ANCHOR BLOCK)	LF	52		