

DEPARTMENT OF TRANSPORTATION
 DIVISION OF ENGINEERING SERVICES
 OFFICE ENGINEER, MS 43
 1727 30TH STREET
 P.O. BOX 168041
 SACRAMENTO, CA 95816-8041
 FAX (916) 227-6214
 TTY 711



*Flex your power!
 Be energy efficient!*

September 27, 2010

03-Yol-5-0.8/2.5
 03-3E0704
 Project ID 0300000470
 NHBH-0056(333)E

Addendum No. 2

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN YOLO COUNTY ON ROUTE 5 FROM 0.8 MILE WEST OF SACRAMENTO/YOLO COUNTY LINE TO 5.8 MILES EAST OF ROUTE 5/113 SEPARATION.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Tuesday, October 26, 2010, instead of the original date of Wednesday, September 29, 2010.

This addendum is being issued to set a new bid opening date as shown herein, revise the Project Plans, the Notice to Bidders and Special Provisions, and the Bid book.

Project Plan Sheets 17, 18 and 21 thru 30 are revised. Copies of the revised sheets are attached for substitution for the like-numbered sheets.

In the Special Provisions, Section 10-1.27, "HOT MIX ASPHALT," is replaced with "HOT MIX ASPHALT ON BRIDGE DECK" as attached.

In the Special Provisions, Section 10-3.04, "MODIFY ROADSIDE WEATHER INFORMATION SYSTEM," in the second paragraph add the following to the end of the table .

| | | | |
|------|------------------------------------------------------------------|---------|---|
| WM30 | Mechanical Wind Sensor , includes all brackets and cables | \$1,400 | 1 |
|------|------------------------------------------------------------------|---------|---|

Addendum No. 2
Page 2
September 27, 2010

03-Y01-5-0.8/2.5
03-3E0704
Project ID 0300000470
NHBH-0056(333)E

In the Bid book, in the "Bid Item List," Item 20 is revised as attached.

To Bid book holders:

Replace page 3 of the "Bid Item List" in the Bid book with the attached revised page 3 of the Bid Item List. The revised Bid Item List is to be used in the bid.

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the Bid book.

Submit bids in the Bid book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This addendum, attachments and the modified wage rates are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/03/03-3E0704

If you are not a Bid book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



REBECCA D. HARNAGEL
Chief, Office of Plans, Specifications & Estimates
Office Engineer
Division of Engineering Services

Attachments

10-1.27 HOT MIX ASPHALT ON BRIDGE DECK

Hot mix asphalt (HMA) placed on the bridge deck shall be Type A, Bridge, and shall conform to the provisions in Section 39, "Hot Mix Asphalt," of the Standard Specifications, the details shown on the plans, and these special provisions.

Produce and place the HMA using the Standard process.

The HMA placed on the bridge deck shall vary in thickness to correct the profile grade of the existing deck and shall be constructed to the lines and grades established by the Engineer.

The aggregate for use in the HMA placed on the bridge deck shall conform to the provisions in Section 39-1.02E, "Aggregate," of the Standard Specifications, and the following:

- A. The grading of the aggregate shall be 1/2-inch
- B. The grading of the aggregate in sections or tapers at bridge ends, less than one inch in total depth, may be No. 4, subject to the approval of the Engineer.

Asphalt binder shall be Grade PG 64-16 as specified in Section 92, "Asphalts," of the Standard Specifications.

Whenever concrete expansion dams are to be placed at bridge deck expansion joints, oil resistant construction paper shall be taped to the deck over the area to be covered by the dams prior to placing the tack coat and HMA across the joint.

At no time shall the difference in grade between adjacent lanes that are open to public traffic exceed 0.13-foot.

BID ITEM LIST

03-3E0704

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity | Unit Price | Item Total |
|----------|-----------|-----------------------------------------|-----------------|--------------------|------------|------------|
| 1 | 074016 | CONSTRUCTION SITE MANAGEMENT | LS | LUMP SUM | LUMP SUM | |
| 2 | 074017 | PREPARE WATER POLLUTION CONTROL PROGRAM | LS | LUMP SUM | LUMP SUM | |
| 3 | 074028 | TEMPORARY FIBER ROLL | LF | 1,700 | | |
| 4 | 074029 | TEMPORARY SILT FENCE | LF | 1,700 | | |
| 5 | 074032 | TEMPORARY CONCRETE WASHOUT FACILITY | EA | 1 | | |
| 6 | 074033 | TEMPORARY CONSTRUCTION ENTRANCE | EA | 1 | | |
| 7 | 074041 | STREET SWEEPING | LS | LUMP SUM | LUMP SUM | |
| 8 | 120090 | CONSTRUCTION AREA SIGNS | LS | LUMP SUM | LUMP SUM | |
| 9 | 120100 | TRAFFIC CONTROL SYSTEM | LS | LUMP SUM | LUMP SUM | |
| 10 | 128650 | PORTABLE CHANGEABLE MESSAGE SIGN | LS | LUMP SUM | LUMP SUM | |
| 11 | 146002 | CONTRACTOR SUPPLIED BIOLOGIST (LS) | LS | LUMP SUM | LUMP SUM | |
| 12 | 146003 | NATURAL RESOURCE PROTECTION PLAN | LS | LUMP SUM | LUMP SUM | |
| 13 | 150857 | REMOVE ASPHALT CONCRETE SURFACING | SQFT | 686,000 | | |
| 14 | 153223 | REMOVE UNSOUND CONCRETE | CF | 7,144 | | |
| 15 | 190101 | ROADWAY EXCAVATION | CY | 1,490 | | |
| 16 | 190110 | LEAD COMPLIANCE PLAN | LS | LUMP SUM | LUMP SUM | |
| 17 | 203032 | EROSION CONTROL (HYDROSEED) (ACRE) | ACRE | 1 | | |
| 18 | 260201 | CLASS 2 AGGREGATE BASE | CY | 1,150 | | |
| 19 | 390132 | HOT MIX ASPHALT (TYPE A) | TON | 750 | | |
| 20 | 042897 | HOT MIX ASPHALT (TYPE A, BRIDGE) | TON | 7,750 | | |