DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING SERVICES
OFFICE ENGINEER
1727 30th Street MS-43
P.O. BOX 168041
SACRAMENTO, CA 95816-8041
FAX (916) 227-6214
www.dot.ca.gov/hq/esc/oe

Serious Drought.
Help save water!

May 5, 2014

04-SM-101-16.3/17.1
04-235844
Project ID 0400000684
ACNHP-Q101(237)E
CML-6204(113)

Addendum No. 5

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN SAN MATEO COUNTY IN BURLINGAME FROM 0.3 MILE NORTH OF ANZA BOULEVARD TO 0.9 MILE SOUTH OF MILLBRAE AVENUE OVERCROSSING.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Tuesday, May 13, 2014.

In the Special Provisions, Section 1-1.01, in the "Bid Items and Applicable Sections" table, item 150227 is deleted.

In the Special Provisions, Section 14-8.03C(2)(a), "General," the fourth paragraph is replaced as follows:

"Set up the seismographs to give immediate warning when particle velocity equal to or exceeding the threshold value of 0.50-inch per second is produced. The warning emitted must be instantaneously transmitted to the designated responsible person and the Engineer by warning lights, audible sounds, or electronic transmission."

In the Special Provisions, Section 024116, "STRUCTURE DEMOLITION," subsection 1.1, "SUMMARY," item B is replaced as follows:

"B. Comply with section 14-8.03, "Vibration Monitoring" and section 14-8.04, "Crack Monitoring."

To *Bid* book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the *Bid* book.

Submit bids in the *Bid* book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

04-SM-101-16.3/17.1
04-235844
Project ID 0400000684
ACNHP-Q101(237)E
CML-6204(113)

This addendum is available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/04/04-235844

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

BIJAN SARTIPI
District Director