

DEPARTMENT OF TRANSPORTATION

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30th Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

www.dot.ca.gov/hq/esc/oe



*Serious Drought.
Help save water!*

February 18, 2016

08-Riv-60-R12.2/22.1 & 26.5/30.4

08-1C0914

Project ID 0814000223

ACNHP-P060(147)E

Addendum No. 5

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN RIVERSIDE COUNTY FROM ROUTE 60/215 SEPARATION TO GILMAN SPRINGS ROAD AND 1.5 MILES WEST OF JACK RABBIT TRAIL TO ROUTE 60/10 SEPARATION to revise the project plans, the *Notice to Bidders and Special Provisions* and the *Bid* book.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Wednesday, February 24, 2016.

Project plan sheets 4, 5, 37 and 42 are replaced and attached for substitution for the like-numbered sheets.

Project plan sheet 17A is added and attached for addition to the project plans.

In the *Notice to Bidders and Special Provisions*, in the "STANDARD PLANS LIST," the following Standard Plan is added as follows:

"A40B"

In the *Special Provisions*, Section 1.01 is replaced as attached.

In the *Special Provisions*, Section 39-1.03K is added as attached.

In the *Special Provisions*, Section 39-1.04 is added as attached.

In the *Bid* book, in the "Bid Item List," Item 43 is replaced.

In the *Bid* book, in the "Bid Item List," Items 66, 67, 68, 69 are added.

In the *Bid* book, in the "Bid Item List," Item 65 is deleted.

Addendum No. 05
Page 2
February 18th, 2016

08-Riv-60-R12.2/22.1 & 26.5/30.4
08-1C0914
Project ID 0814000223
ACNHP-P060(147)E

To *Bid* book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

Submit the *Bid* book as described in the *Electronic Bidding Guide* at the Bidders' Exchange website.

http://www.dot.ca.gov/hq/esc/oe/electronic_bidding/electronic_bidding.html

Inform subcontractors and suppliers as necessary.

This addendum, EBS addendum file and attachments are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/08/08-1C0914

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



JOHN BULINSKI
District Director

Attachments

Add to section 1-1.01:

Bid Items and Applicable Sections

Item code	Item description	Applicable section
030823	REMOVE CONCRETE BARRIER MARKER	15
030356	CONCRETE BARRIER MARKER	82
030357	PIEZO AXEL SENSOR	86
030358	VEHICLE SENSOR NODE	86

CONTRACT NO. 08-1C0914
REPLACED PER ADDENDUM NO. 5 DATED FEBRUARY 18, 2016

Replace section 39-1.03K of the RSS for section 39 with:

39-1.03K Rumble Strips

Construct rumble strips in the top layer of HMA surfacing by ground-in methods.

Select the method and equipment for constructing ground-in indentations.

Do not construct rumble strips on structures or approach slabs.

Construct rumble strips within 2 inches of the specified alignment. The grinding equipment must be equipped with a sighting device enabling the operator to maintain the rumble strip alignment.

Indentations must comply with the specified dimensions within 1/16 inch in depth and 10 percent in length and width.

The Engineer orders grinding or removal and replacement of noncompliant rumble strips to bring them within specified tolerances. Ground surface areas must be neat and uniform in appearance.

The grinding equipment must be equipped with a vacuum attachment to remove residue from the roadbed.

Dispose of removed material.

On ground areas, apply fog seal coat under section 37-2.

Add to section 39-1.04 of the RSS for section 39:

Rumble strips are measured by the station along the length of the rumble strips without deductions for gaps between indentations.

**BID ITEM LIST
08-1C0914**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
41	731504	MINOR CONCRETE (CURB AND GUTTER)	CY	8		
42	810116	SURVEY MONUMENT (TYPE D)	EA	10		
43	030356	CONCRETE BARRIER MARKER	EA	8,190		
44	832006	MIDWEST GUARDRAIL SYSTEM (STEEL POST)	LF	5,260		
45	832070	VEGETATION CONTROL (MINOR CONCRETE)	SQYD	2,770		
46	839543	TRANSITION RAILING (TYPE WB-31)	EA	22		
47	839576	END CAP (TYPE A)	EA	2		
48	839581	END ANCHOR ASSEMBLY (TYPE SFT)	EA	38		
49	839584	ALTERNATIVE IN-LINE TERMINAL SYSTEM	EA	14		
50	839585	ALTERNATIVE FLARED TERMINAL SYSTEM	EA	41		
51	839710	CONCRETE BARRIER (TYPE 60S)	LF	120		
52	840515	THERMOPLASTIC PAVEMENT MARKING	SQFT	14,000		
53	840560	THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)	LF	825,000		
54	850101	PAVEMENT MARKER (NON-REFLECTIVE)	EA	15,100		
55	850111	PAVEMENT MARKER (RETROREFLECTIVE)	EA	14,000		
56	850122	PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)	EA	900		
57	860090	MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION	LS	LUMP SUM	LUMP SUM	
58	860807	INDUCTIVE LOOP DETECTOR (LS)	LS	LUMP SUM	LUMP SUM	
59	030357	PIEZO AXLE SENSOR	LS	LUMP SUM	LUMP SUM	
60	030358	INSTALL VEHICLE SENSOR NODE	LS	LUMP SUM	LUMP SUM	

**BID ITEM LIST
08-1C0914**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
61	861088	MODIFY RAMP METERING SYSTEM	LS	LUMP SUM	LUMP SUM	
62	861502	MODIFY SIGNAL	LS	LUMP SUM	LUMP SUM	
63	BLANK					
64	414241	ISOLATION JOINT SEAL (SILICONE)	LF	430		
65	BLANK					
66	030823	REMOVE CONCRETE BARRIER MARKER	LS	LUMP SUM	LUMP SUM	
67	374002	ASPHATIC EMULSION (FOG SEAL COAT)	TON	2		
68	394053	SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS)	STA	700		
69	999990	MOBILIZATION	LS	LUMP SUM	LUMP SUM	

TOTAL BID:

\$
