

**DEPARTMENT OF TRANSPORTATION**

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30<sup>th</sup> Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

[www.dot.ca.gov/hq/esc/oe](http://www.dot.ca.gov/hq/esc/oe)

*Serious Drought.  
Help save water!*

June 27, 2014

10-Sac,SJ-12-5.5/6.2, 0.0/0.5

10-OJ92U4

Project ID 1014000054

ACNHP-P012(115)E

Addendum No. 2

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN SACRAMENTO AND SAN JOAQUIN COUNTIES NEAR TERMINUS FROM 0.7 MILE WEST OF MOKELUMNE RIVER BRIDGE TO 0.5 MILE EAST OF MOKELUMNE RIVER BRIDGE.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Wednesday, July 2, 2014.

This addendum is being issued to revise the project plans, and the *Notice to Bidders and Special Provisions*.

Project plan sheet 71 is replaced and attached for substitution for the like-numbered sheet.

Project plan sheets 54A, 54B, and 56A are added and attached for addition to the project plans.

In the Special Provisions, Section 10, is replaced as attached.

To *Bid* book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

Submit the *Bid* book as described in the *Electronic Bidding Guide* at the Bidders' Exchange website.

**[http://www.dot.ca.gov/hq/esc/oe/electronic\\_bidding/electronic\\_bidding.html](http://www.dot.ca.gov/hq/esc/oe/electronic_bidding/electronic_bidding.html)**

Inform subcontractors and suppliers as necessary.

Addendum No. 2  
Page 2  
June 27, 2014

10-Sac,SJ-12-5.5/6.2, 0.0/0.5  
10-0J92U4  
Project ID 1014000054  
ACNHP-P012(115)E

This addendum, EBS addendum file, and attachments are available for the Contractors' download on the Web site:

**[http://www.dot.ca.gov/hq/esc/oe/project\\_ads\\_addenda/10/10-0J92U4](http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/10/10-0J92U4)**

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



SHARRI BENDER EHLERT  
District Director  
District 6 Central Region

Attachments

## 10 GENERAL

### **Add to the end of the first paragraph of section 10-1.02 of the RSS:**

Submit your references to control points at least 5 days before obliterating the stripes, markings, and markers.

Submit a proposed plan performed work at least 60 days prior to the start of the project, in writing, to the US Coast Guard via the bridge owner (Caltrans). Send the proposed plan to the following address, US Coast Guard, Eleventh District, Bridge Section, Building 50-2 Coast Guard Island, Alameda, CA 94501, attention: David Sulouff, telephone (510) 437-3516. Construction work shall not commence until Caltrans has obtained written authorization, with conditions, from the US Coast Guard.

The swing span of the bridge will not be operational during the bridge deck replacement work (Stage 1). For the control house rehabilitation work (Stage 2), the swing span can only be opened manually in an event of emergency. In an effort to minimize navigational impact, at least one side of the swing span must be unimpeded for passage of the small vessels under the bridge during construction.

### **Add to section 10-1.02 of the RSS:**

Complete work for the light weight concrete deck system and control house rehabilitation work are to be completed in two consecutive seasons. Furnish and install the light weight concrete deck system must be the first order of work before beginning work on the control house.

Monitor the National Weather Service's forecast on a daily basis. For the National Weather Service's forecast, go to the Web site for the National Weather Service.

Work requiring an enclosure or containment system will not be allowed when rain or steady wind speed exceeding 35 mph is forecast by the National Weather Service. Relieve wind pressure on the enclosure or containment system when any wind speed exceeds 50 mph.

Enclosure or containment system, relieve wind pressure system shall be designed by Licensed Civil Engineer authorized to practice in State of California.

Pre-construction surveys for migratory birds (including raptors) shall be conducted by a qualified biologist no more than 14 days prior to the start of construction.

### **Replace "Reserved" in section 10-1.03 of the RSS for section 10-1 with:**

You may work only from January 1 to May 15 of any year.