

DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING SERVICES
OFFICE ENGINEER, MS 43
1727 30TH STREET
P.O. BOX 168041
SACRAMENTO, CA 95816-8041
FAX (916) 227-6214
TTY 711



*Flex your power!
Be energy efficient!*

October 14, 2008

11-SD-15-M41.8/R48.6
11-2T0814
ACIM-015-4(203)N
CMLN-6211(052)N

Addendum No. 3

Dear Contractor:

This addendum is being issued to the contract for BUILDING CONSTRUCTION IN SAN DIEGO COUNTY IN AND NEAR ESCONDIDO AT VARIOUS LOCATIONS FROM 0.1 KILOMETER SOUTH OF HIGHLAND ROAD OVERCROSSING TO 0.2 KILOMETER NORTH OF NINTH AVENUE UNDERCROSSING.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on October 23, 2008, instead of the original date of October 16, 2008.

This addendum is being issued to revise Notice to Contractors Instructions to Bidders General Conditions and Special Provisions, the Proposal and Contract, the Federal Minimum Wages with Modification Number 14 dated October 3, 2008.

In the Special Provisions, Section 5-1.06, "PROJECT INFORMATION," the following Item is added to the third paragraph as follows:

"II. Addendum to the Foundation Report for Ninth Avenue UC (Widen), Br. No. 57-0808R/L, dated September 30, 2008."

In the Special Provisions, Section 10-1.58, "PILING," Subsection "CAST-IN-DRILLED-HOLE CONCRETE PILES," the following paragraph is added after the third paragraph.

"At Ninth Avenue UC (Widen), Br. No. 57-0808R/L, when cast-in-drilled-hole concrete piles are to be constructed at a center-to-center spacing of 2.5 times the maximum width of cast-in-drilled-hole concrete piling, the piles shall not be drilled or constructed immediately adjacent to recently constructed cast-in-drilled-hole concrete piles until the adjacent cast-in-drilled-hole concrete piles have cured for a minimum of 48 hours."

Addendum No. 3
Page 2
October 14, 2008

11-SD-15-M41.8/R48.6
11-2T0814
ACIM-015-4(203)N
CMLN-6211(052)N

In the Proposal and Contract, the Engineer's Estimate Item 183, the description is revised as follows:

"JACKED 900 MM WELDED STEEL PIPE (15 MM THICK)"

To Bid Book Holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Contractors section of the Notice to Contractors and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This office is sending this addendum by confirmed facsimile to all book holders to ensure that each receives it. A copy of this addendum and the modified wage rates are available for the Contractors' use on the Web site:

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

ROBERT E. TRAVIS, Chief
Office of Plans, Specifications & Estimates
Division of Engineering Services - Office Engineer